



Hydraulic Breakers



PRODUCTS



Hydraulic Breakers



B Alicon

ALICON



B20

Weight

150kg

Suitable Excavator

1~2.5ton

Specifications

Metric

US/Imperial

Description	Unit	-
-------------	------	---

Control valve type		Internal bore in control valve
Suitable Excavator	ton	1~2.5
Weight [Top box type]	kg	150
Overall Length [Top box type]	mm	1,239
Weight [Side type]	kg	100
Overall Length [Side type]	mm	1,080
Weight [Split type]	kg	-
Overall Length [Split type]	mm	-
Chisel Out Diameter	mm	45
Working Length of chisel [Top box type]	mm	500
Setting Pressure	kgf/cm ²	150
Working Pressure	kgf/cm ²	80~120
Oil Flow	LPM	20~40
Blow Rate [Standard speed]	BPM	600~1,200
Blow Rate [High speed]	BPM	-
Back Head N2 Gas Pressure	kgf/cm ²	9~12

※ The specifications are subject to change without prior notice for quality improvement.

※ Weight includes mounting bracket to attach to excavator and may vary depending on mounting bracket configuration.

Application

Standard [●] Option [○]

Description	
	-
Under water works	-
Auto greasing system hole	-
TPC (Total Power Control) system selector type	-
ABF (Anti Blank Firing) system	-
Auto greasing unit	●
Central grease supply unit	-
BPM adjuster	-
Internal relief valve	-
TPC (Total Power Control) system remote control type	-
Low noise housing bracket	○

